

# SAFETY DATA SHEET

Revision Date 03/23/2018 Revision Number 2.01

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: GBX Developer and Replenisher

Product Code(s) 5158597

Supplier Carestream Health, Inc., 150 Verona Street, Rochester, NY, USA 14608

Emergency telephone number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

For other information contact: 800-328-2910

Synonyms PCD 4861

Recommended Use Restricted to professional users. Photographic chemical.

# 2. HAZARDS IDENTIFICATION

### Classification

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

**Emergency Overview** 

Signal word Danger

# Hazard statements

Causes serious eye damage May cause an allergic skin reaction Suspected of causing genetic defects

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure



Appearance No information available

Physical state Liquid

Odor Odorless

**Precautionary Statements - Prevention** 

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. Contaminated work clothing should not be allowed out of the workplace.

#### **Precautionary Statement - Response**

IF exposed or concerned: Get medical advice/attention. Specific treatment (see this label).

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

### **Precautionary Statement - Storage**

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

· May be harmful if swallowed

#### Other hazards which do not result in classification

No information available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Synonyms

PCD 4861.

Chemical name	CAS No.	Weight-%	Trade Secret
Water 7732-18-5	7732-18-5	60-70	*
Potassium sulfite 10117-38-1	10117-38-1	5-10	*
Diethylene glycol 111-46-6	111-46-6	5-10	*
Sodium sulfite 7757-83-7	7757-83-7	5-10	*
Hydroquinone 123-31-9	123-31-9	5-8	*
Sodium borate 1330-43-4	1330-43-4	0.1-1	*

<sup>\*</sup>The exact percentages (concentrations) have been withheld as trade secrets.

# 4. FIRST AID MEASURES

## First Aid Measures

**General advice** Show this material safety data sheet to the doctor in attendance.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention

immediately if irritation persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. Get medical attention if

irritation develops and persists.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Administer oxygen if breathing is difficult. If not breathing, give artificial respiration.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Main Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

## **Suitable Extinguishing Media**

Dry chemical, CO<sub>2</sub>, water spray or regular foam. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal.

#### **Unsuitable Extinguishing Media**

Do not scatter spilled material with high pressure water streams.

### Specific hazards arising from the chemical

Some may burn but none ignite readily. Those substances designated with a "P" may polymerize explosively when heated or involved in a fire. Some may be transported hot.

#### **Hazardous combustion products**

Carbon oxides. Sulfur oxides.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing. For personal protection see section 8.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas.

# Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud.

Methods for cleaning up With clean shovel place material into clean, dry container and cover loosely; move

containers from spill area. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to

minimize spreading.

7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure

adequate ventilation. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable

respiratory equipment. Wear personal protective equipment.

# Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

conditions

None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Incompatible products

**Exposure Guidelines** 

Expodure Garacinico	•			
Chemical name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Diethylene glycol 111-46-6	-	TWA: 10 mg/m <sup>3</sup>	-	
Hydroquinone 123-31-9	TWA: 1 mg/m <sup>3</sup>		TWA: 2 mg/m³	
Sodium borate	STEL 6 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>		-	

## **Appropriate engineering controls**

Engineering Measures Ensure adequate ventilation. Apply technical measures to comply with the occupational

exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Ensure that eyewash stations and safety

showers are close to the workstation location.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If splashes are likely to occur, wear:. Safety glasses with top and side-shields.

**Skin and body protection** Long sleeved clothing. Protective gloves. Skin contact should be prevented through use of

suitable protective clothing, gloves, and footwear, selected with regard of use conditions

and exposure potential.

Respiratory protection None required under normal usage. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Wash hands before breaks and immediately after handling the product. Provide

regular cleaning of equipment, work area and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **PHYSICAL AND CHEMICAL PROPERTIES**

Physical state Liquid

AppearanceNo information availableOdorOdorless

Color light yellow Odor threshold No information available

**Property** Remarks • Method **Values** 10.2 рΗ Melting point / freezing point No information available Boiling point / boiling range > 100 °C No information available Flash point > 94.1 °C > 201.200 °F No information available. No information available **Evaporation rate** Flammability (solid, gas) no data available **Upper flammability limit:** Unknown Lower flammability limit: Not flammable Vapor pressure 24 mbar @ 20 °C No information available Vapor density No information available 0.6 Specific Gravity No information available Water solubility completely soluble No information available Solubility(ies) No information available No information available Partition coefficient **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available No information available **Oxidizing Properties Explosive properties** No information available Other information Softening point No information available Molecular weight No information available **Liquid Density** No information available **Bulk density** No information available

### **10. STABILITY AND REACTIVITY**

#### Reactivity

Not applicable.

## **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide.

#### **Conditions to Avoid**

None known.

## **Incompatible Materials**

None known based on information supplied.

#### **Hazardous decomposition products**

Carbon oxides, Sulfur oxides.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

Inhalation May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness,

stomach upset, hives, faintness, weakness and diarrhea.

**Eye contact** Causes serious eye damage.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Avoid contact with skin.

Ingestion May be harmful if swallowed. May cause adverse kidney effects. May cause central

nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing,

chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Oral LD50 Similar formulation:

OPERATOR > VALUE 2000

Toxicology data for the components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Water 7732-18-5	90,000 mg/kg ( Rat )	-	-	
Potassium sulfite 10117-38-1	>3200 mg/kg (rat)	-	-	
Diethylene glycol 111-46-6	12565 mg/kg ( Rat )	11890 mg/kg(Rabbit)	4600 mg/m³ ( Rat ) 4 h Inhalation LC50 Rat >4600 mg/m³ 4 h (aerosol, Source: NICNAS)	
Sodium sulfite 7757-83-7	5680 mg/kg (Rat) Oral LD50 Rat 5680 mg/kg (Source: OECD_SIDS)	-	22 mg/L(Rat)1 h Inhalation LC50 Rat >22 mg/L 1 h (Source: IUCLID)	
Hydroquinone 123-31-9	375 mg/kg (Rat) Oral LD50 Rat 375 mg/kg (Source: ECHA)	> 4800 mg/kg (Rat)	-	
Sodium borate 1330-43-4	2660 mg/kg (Rat) Oral LD50 Rat 2660 mg/kg (Source: JAPAN_GHS)	2000 mg/kg (Rabbit) Dermal LD50 Rabbit >2000 mg/kg (Source: IUCLID)	2 mg/m³(Rat)4 h Inhalation LC50 Rat >2 mg/m³ 4 h (Source: HSDB)	

#### Information on toxicological effects

**Symptoms** Causes severe eye damage. Allergic skin reactions including rash, dermatitis, irritation, and

itching.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Corrosivity** Risk of serious damage to eyes.

Sensitization This mixture contains hydroquinone which is classified as a dermal sensitizer in some

jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans. May cause

sensitization by skin contact.

Mutagenic effects Contains a known or suspected mutagen.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3			
123-31-9				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity

Contains ingredients that are suspected reproductive hazards. However, based on available

data the product should not be classified for reproductive effects.

STOT - single exposure STOT - repeated exposure Chronic toxicity The substance or mixture is not classified as specific target organ toxicant, single exposure The substance or mixture is not classified as specific target organ toxicant, repeat exposure Effects expected to be similar to those seen acutely. Avoid repeated exposure. Possible

\_\_\_\_\_

risks of irreversible effects.

Target Organ Effects Central nervous system, Respiratory system, Kidney, Liver, Eyes, Skin.

**Aspiration Hazard** No information available.

Numerical measures of toxicity - Product Information

No information available

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2211 mg/kg ATEmix (dermal) 13161 mg/kg ATEmix (inhalation-dust/mist) 79.7 mg/L

Oral LD50 Similar formulation: > 2000 mg/kg (rat)

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

The environmental impact of this product has not been fully investigated Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite 10117-38-1		220 - 460: 96 h Leuciscus idus mg/L LC50 static	or.gameme	
Diethylene glycol 111-46-6		75200: 96 h Pimephales promelas mg/L LC50 flow-through		84000: 48 h Daphnia magna mg/L EC50
Sodium sulfite 7757-83-7		220 - 460: 96 h Leuciscus idus mg/L LC50 static		330: 24 h Psammechinus miliaris mg/L LC50
Hydroquinone 123-31-9	0.335: 72 h Pseudokirchneriella subcapitata mg/L EC50 13.5: 120 h Desmodesmus subspicatus mg/L EC50	0.1 - 0.18: 96 h Pimephales promelas mg/L LC50 static 0.044: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.044: 96 h Pimephales promelas mg/L LC50 flow-through 0.17: 96 h Brachydanio rerio mg/L LC50		0.29: 48 h Daphnia magna mg/L EC50
Sodium borate 1330-43-4	2.6 - 21.8: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 158: 96 h Desmodesmus subspicatus mg/L EC50	340: 96 h Limanda limanda mg/L LC50		1085 - 1402: 48 h Daphnia magna mg/L LC50

### Persistence and degradability

No data is available on the product itself. Expected to be readily biodegradable.

# **Bioaccumulation:**

No information available.

Chemical name	log Pow
Diethylene glycol 111-46-6	-1.98
Sodium sulfite 7757-83-7	-4
Hydroquinone 123-31-9	0.5

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local

regulations.

**Contaminated packaging** Do not re-use empty containers. Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

**DOT** Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

The "environmentally hazardous substances (UN3082 and UN3077) shipped in Limited Quantities (net quantity of less than 5 L or 5 kg) are deemed "Not Restricted" (not regulated) for DGR.

For transportation information, go to: http://ship.carestream.com

# 15. REGULATORY INFORMATION

"Does not comply" indicates a component is either not on the public inventory or is subject to exemption requirements. If additional information is needed contact Carestream Health.

# **International Inventories**

**TSCA** Complies DSL/NDSL Complies **EINECS/ELINCS** Complies Does not comply **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies Complies **AICS** Complies **NZIoC** 

#### <u>Legend</u>

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### U.S. Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values %
Hydroquinone - 123-31-9	1.0

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Diethylene glycol - 111-46-6		Group I		
Hydroquinone - 123-31-9		Group I		

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Hydroquinone	100 lb	100 lb	

#### **TSCA**

Component	U.S TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Hydroquinone	10/04/1984
123-31-9 ( 5-8 )	

# U.S. State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Diethylene glycol			X		X
Hydroquinone	Х	Х	Х	Х	Х
Sodium borate	X		X		

### International Regulations

Mexico - Grade Serious risk, Grade 3

calco - Grade		
Chemical name	Carcinogen Status	Exposure Limits
Sodium borate		Mexico: TWA 1 mg/m <sup>3</sup>

# **16. OTHER INFORMATION**

NFPAHealth Hazard3Flammability1Instability-HMISHealth Hazard3Flammability1Physical Hazard0

Revision Date 03/23/2018

Revision Note (M)SDS sections updated

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**