

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 1 of 6

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Apollo Technologies, Inc.
1850 S. Cobb Industrial Boulevard
Smyrna, GA 30082

Phone: 770-433-0210
Web: <http://www.apolloind.com/>

Product Name: JARDEN OSTER KOOL LUBE 3
Revision Date: 6/28/2016
Version: 2
MSDS Number: 1253310
Common Name: Aerosol cooling lube
Product Code: 76300-101-005
Product Use: Aerosol cooling lube

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes - Yes Skin - Yes Inhalation - Yes Ingestion - Unlikely

Target Organs: Respiratory system; Skin;


Inhalation: Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Skin Contact: May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Eye Contact: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes

Ingestion: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

NFPA: Health = 1, Fire = 2, Reactivity = 0
HMIS III: H1/F2/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARDS	0
PERSONAL PROTECTION B Safety Glasses, Gloves	

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 2 of 6

GHS Signal Word:

WARNING

GHS Hazard Pictograms:



GHS Classifications:

Physical, Flammable Aerosols, 2
Health, Acute toxicity, 5 Dermal
Health, Acute toxicity, 5 Inhalation
Health, Acute toxicity, 5 Oral
Health, Serious Eye Damage/Eye Irritation, 2 B
Physical, Gases Under Pressure, Compressed Gas

GHS Phrases:

H223 - Flammable aerosol
H313 - May be harmful in contact with skin
H333 - May be harmful if inhaled
H303 - May be harmful if swallowed
H320 - Causes eye irritation
H280 - Contains gas under pressure; may explode if heated

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+350 - IF ON SKIN: Gently wash with soap and water.
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P309+311 - IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.
P332+313 - If skin irritation occurs: Get medical advice/attention.
P412 - Do not expose to temperatures exceeding 50 °C/122 °F



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 3 of 6

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
-------	------------	---------------

64-17-5	25-45%	Ethyl alcohol
112-27-6	<10%	Triethylene glycol
74-98-6	10-20%	Propane
106-97-8	10-20%	n-Butane

4 FIRST AID MEASURES

Inhalation:	Move to fresh air. If symptoms persist, seek medical attention.
Skin Contact:	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.
Eye Contact:	Move to fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
Ingestion:	Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

5 FIRE FIGHTING MEASURES

Flash Point:	-156°F (-104.4°C) (propellant)
Flash Point Method:	Estimated
Burning Rate:	Not available.
Autoignition Temp:	Not available.
LEL:	Not available.
UEL:	Not available.

Means of Extinguishment:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 4 of 6

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

7 HANDLING AND STORAGE

Handling Precautions: HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Storage Requirements: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Store in accordance with NFPA 30B for LEVEL 2 AEROSOL.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Maintain adequate ventilation.
Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves
HMIS PP, A | Safety Glasses

INGREDIENTS	OSHA-PEL	EXPOSURE LIMITS	
		ACGIH-TLV	OTHER
Ethyl Alcohol	1000 ppm	1000 ppm	
Triethylene Glycol	-----	-----	10mg/m ³ WEEL
Propane	Unknown	1000 ppm	
n-Butane	Unknown	800 ppm	



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 5 of 6

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless, clear liquid	Odor:	Slight floral scent
Physical State:	Mixture packaged in pressurized aerosol sp	Solubility:	Soluble
Spec Grav./Density:	0.895 - 0.905g/ml	Flash Point:	-156°F (-104.4°C) (propellant)
Boiling Point:	>100°F	VOC:	62.6%
Flammability:	Flammable		
Vapor Pressure:	No Data		
pH:	No data		
Evap. Rate:	>1.00		

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Heat, sparks, open flames and temperatures above 120°F
Materials to Avoid:	Acids, Aldehydes, Alkali metals, Amines, Ammonia, Bases, Ethylene oxide, halogenated hydrocarbons, halogens, inorganic materials, isocyanates, Oxidizing agents, sodium, Do not use with aluminum equipment at temperatures above 120°F.
Hazardous Decomposition:	CO, CO ₂ , formaldehyde, Hydrocarbons
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

No product toxicological information is available.

12 ECOLOGICAL INFORMATION

No product ecological information is available.

13 DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility. RCRA Haz No D001

14 TRANSPORT INFORMATION

UN Number:	UN1950
Proper shipping name	Aerosol, Limited Quantity
Transport Hazard Class(es);	2.2
Packing group	N/A



SDS

Safety Data Sheet

JARDEN OSTER KOOL LUBE 3

MSDS Number: 1253310

Revision Date: 6/28/2016

Page 6 of 6

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Ethyl alcohol (64175 25-45%) MASS, OSHAWAC, PA, TSCA, TXAIR

*Triethylene glycol (112276 <10%) HAP, PA, TSCA

*Propane (7498610-20%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

*n-Butane (106978 10-20%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List

OSHAWAC = OSHA workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

NRC = Nationally Recognized Carcinogens

SARA313 = SARA 313 Title III Toxic Chemicals

HAP = Hazardous Air Pollutants

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

16

OTHER INFORMATION

Author: DP

Publication Date: 6/28/2016

Revision No. 2

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).