SAFETY DATA SHEET

1. IDENTIFICATION

TECHNOVIT POWDER

For treatment and repair of livestock hooves.

Jorgensen Laboratories Product Codes: J0061PB, J0061PA

1450 Van Buren Avenue

Loveland, Co. 80538 Date: March 28, 2022

Phone: (970) 669-2500 or (800) 525-5614 Fax: (970) 663-5042 Emergency Phone Number: U.S. and Canada (800) 535-5053

International: (352) 323-3500 (INFOTRAC)

2. HAZARD(S) IDENTIFICATION...

For Polymers: OSHA classifies this material as particulates, not otherwise classified.

Eyes: May be irritated by gross overexposure, no
Matter how generated. Keep dust out of eyes.
Skin: May be irritated by gross overexposure, no

Matter how generated. May cause dryness.
Respiratory tract: May be irritated by gross overexposure, no

Matter how generated.

For Calcium Carbonate:

Eyes: May cause mild irritation including watering.

Respiratory tract: Can be irritating, with symptoms including sneezing and nasal irritation.

Ingestion: If the quantity is large, it may cause intestinal obstruction and/or

constipation.

For Benzoyl Peroxide:

Acute hazards: Eyes: May cause severe irritation or damage.

Skin: Non-irritating, although allergies have been noted in humans and guinea

pigs.

Inhalation: May cause irritation of nose, throat and lungs.

Ingestion: Considered to be non-toxic. May produce muscular weakness.

Chronic hazards: Skin: Non-irritating. Prolonged and/or repeated skin contact may cause

irritation, defatting, dermatitis and sensitization. Repeated application

with a known carcinogen has enhanced skin tumors in mice.

Ingestion: Long term dietary administration showed increased testicular atrophy in

rats.

CARCINOGENICITY: Ethyl Acrylate is listed as a suspected human

Carcinogen by IARC, NTP, and ACGIH based on animal studies. NIOSH lists Ethyl Acrylate as a carcinogen without comment. IARC lists Benzoyl Peroxide as not classifiable as to carcinogenicity to humans. Calcium Carbonate contains crystalline silica as a minor impurity. Crystalline silica is listed by IARC as a pulmonary carcinogen in humans. None of the other components of this material are listed by IARC,

NTP, OSHA, or ACGIH as carcinogens.

PRIMARY ROUTES OF ENTRY: Inhalation, Skin or Eyes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS NUMBER	%
Poly(methyl methacrylate/ethyl Acrylate)	9010-88-2	>74.5
Ethyl Acrylate	140-88-5	< .37
Calcium Carbonate	1317-65-3	13.7
Benzoyl Peroxide	94-36-0	3.04

C9-11 branched Alkyl Benzoate	131298-44-7	3.23
Water	7732-18-5	.91
Silicon Dioxide	68909-20-6	.19
Zinc Stearate	557-05-1	.114
Black Iron Oxide	1309-38-2	.096

4. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush with water for 15 minutes, including under eyelids. Get

medical help if discomfort persists.

INGESTION: Rinse mouth out with water. Call doctor if amount was large. INHALATION: Remove to fresh air. Get medical help if discomfort persists. SKIN: Wash with soap and water. Get medical help if discomfort

persists.

CLOTHING: Remove contaminated clothing. Wash thoroughly before reuse.

TREATMENT: Treat symptoms conventionally, after thorough decontamination.

5. FIRE FIGHTING MEASURES

FLASH POINT: 304 C, 580 F

EXTINGUISHER METHOD: Water, Carbon Dioxide, dry

chemical.

FIRE AND EXPLOSION HAZARDS: Polymer dust is combustible. The

Explosive limits of the polymer Particles suspended in air are Approximately those of coal dust.

SPECIAL FIRE FIGHTING PROCEDURES: Avoid extinguishing methods which may generate dust clouds.

Water stream can disperse dust into the air.

SENSITIVE TO STATIC DISCHARGE: Yes.

6. ACCIDENTAL RELEASE MEASURES

Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.

7. HANDLING AND STORAGE

PRECAUTIONS FOR HANDLING: Use in well ventilated areas. Avoid

Contact with skin, eyes and clothing. Avoid breathing dust. Use good personal

hygiene and housekeeping.

PRECAUTIONS FOR STORAGE: Store in cool dry place away from

incompatible materials. Keep container tightly closed.

INDUSTRIAL HYGIENE PRACTICES: Wash face and hands thoroughly with water after use and before eating,

drinking, smoking or applying cosmetics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use in open area or with good ventilation.

RESPIRATORY PROTECTION: Use type for particulates not otherwise classified, if needed.

EYE PROTECTION: Safety glasses.

INDUSTRIAL HYGIENE PRACTICES: Wash face and hands thoroughly with soap

and water after use and before eating, drinking,

smoking or applying cosmetics.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Fine gray powder. ODOR: Faint odor in bulk.

SPECIFIC GRAVITY (H2O=1): 1.25 SOLUBILITY IN WATER: Insoluble

10. STABILITY AND REACTIVITY

INCOMPATIBILITY(Avoid): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Methacrylate Monomer and Oxides of Carbon when burned.

HAZARDOUS POLYMERIZATION: Will not occur

STABILITY: Stable

11. TOXICOLOGICAL PROPERTIES

TARGET ORGANS

For Polymer:

For Calcium Carbonate:

None listed.

None listed.

Skin and Eyes.

SENSITIVITY DATA: For Benzoyl Peroxide:

Eyes Rabbit: Severely irritating.
Skin Rabbit: Non-irritating/4H.

MUTAGENICITY DATA:

For Polymer: None listed.

For Benzoyl Peroxide:

Human Cell TypesDNA Damage:100 u mol/L.Mouse Cell TypesDNA Damage:1 u mol/L.Human Cell TypesDNA Inhibition:56 u mol/L.Rat LiverUnscheduled DNA Synthesis:100 p mol/L.Human Cell TypesTest Systems Other:56 u mol/L.

REPRODUCTIVE TOXICITY DATA:

For Polymer: None listed.

TUMOROGENIC DATA:

For Polymer: None listed.

For Benzovl Peroxide:

Skin Mouse TDlo: 24 gm/kg/30W.

TOXICITY DATA:

For Polymer: None listed. For Limestone: None listed.

For Benzoyl Peroxide:

Inhalation RatLC50:24.3 mg/L/4hr.Intraperitioeal MouseLDlo:250 mg/kg.Oral RatLD50:7710 mg/kg.

13. DISPOSAL CONSIDERATIONS

WASTE DOSPOSAL METHOD: Dispose in a landfill.

14. TRANSPORTATION

DOT/UN shipping name: Synthetic Gum Resin Granular, Noibn

DOT Hazard Label: NA UN/NA Number NA

16. OTHER INFORMATION

Issue Date: March 28, 2022

Reason for revision: Updated to comply with Revised Hazard Communication Standard (HCS)

By Dale Peterson, Chemist

Disclaimer

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200), THE COMMONWEALTH OF PENNSYLVANIA REGULATIONS (TITLE 34. CHAPTERS 301-323) AND CANADIAN WHMIS REGULATIONS, ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFROMATION MAY BE BASED ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABLILIY OF THE MATERIAL FOR HIS/HER PARTICULAR PRUPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.