

# VITREX +

#### 1. IDENTIFICATION

Product name : VITREX +

Product code : 11-12375 Other means of identification : Not available.

Supplier : Wood Wyant Manufacturer : Wood Wyant

A división of Sani-Marc Group
42, rue de l'Artisan
42 división of Sani-Marc Group
42, rue de l'Artisan

Victoriaville, Québec G6P 7E3 Victoriaville, Québec G6P 7E3

Identified uses : Industrial applications: Glass cleaner. Uses advised against : Only use this product as directed. Read label before

Date of issue (YYYY-MM-DD) : 2017-01-09

In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)

### 2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : EYE IRRITATION - Category 2B

Signal word : Warning

**Hazard statements** : May cause eye irritation.

Precautionary statements

General : Read label before use. Keep out of reach of children.

**Prevention**: Specific protective equipment is suggested for this product. See section 8 for details.

Response : Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

attention.

Storage : No specific measure needed. See section 7 for more information on handling and storage.

Disposal : No specific measure needed. See section 13 for waste disposal information.

Supplemental label elements : No additional information.

Other hazards which do not result in : None known.

classification

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Ingredient nameCAS number% (w/w)Propylene glycol monomethyl ether<br/>propan-2-ol107-98-2<br/>67-63-01 - 5<br/>1 - 5

Occupational exposure limits, if available, are listed in Section 8.



VITREX + Page: 1/5

#### 4. FIRST AID MEASURES

#### Description of required first aid measures

In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get Eve contact

medical attention.

Skin contact In case of irritation, rinse with water. Get medical attention if irritation persist.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Inhalation Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or

are severe. Maintain an open airway.

#### Most important symptoms/effects, acute and delayed

Eve contact Adverse symptoms may include the following:

irritation watering redness

Skin contact No specific symptoms under normal use conditions.

Ingestion No specific symptoms under normal use conditions. Inhalation No specific symptoms under normal use conditions.

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known

Specific hazards arising from the

Special fire-fighting procedures

chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide

carbon monoxide

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken

involving any personal risk or without suitable training.

Special protective equipment for fire-Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a

fighter full face-piece operated in positive pressure mode

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.

Personal protection Put on appropriate personal protective equipment (see Section 8).

Cleaning method Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in

container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

Handling Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

Section 8 for additional information on hygiene measures.

Storage and Incompatibility Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).



VITREX + Page: 2/5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Occupational exposure limits				
Ingredient name	Exposure limits			
Propylene glycol monomethyl ether	CA Alberta Provincial (Canada, 4/2009).  8 hrs OEL: 100 ppm 8 hours.  15 min OEL: 553 mg/m³ 15 minutes.  8 hrs OEL: 369 mg/m³ 8 hours.  15 min OEL: 150 ppm 15 minutes.  CA British Columbia Provincial (Canada, 2/2015).  STEL: 75 ppm 15 minutes.  TWA: 50 ppm 8 hours.  CA Ontario Provincial (Canada, 1/2013).  TWA: 100 ppm 8 hours.  TWA: 369 mg/m³ 8 hours.  STEL: 150 ppm 15 minutes.  STEL: 553 mg/m³ 15 minutes.  STEL: 553 mg/m³ 15 minutes.  CA Quebec Provincial (Canada, 1/2014).  TWAEV: 100 ppm 8 hours.  TWAEV: 100 ppm 8 hours.  STEV: 553 mg/m³ 15 minutes.  CA Quebec Provincial (Canada, 4/2014).  TWAEV: 100 ppm 15 minutes.  STEV: 553 mg/m³ 15 minutes.  CA Alberta Provincial (Canada, 4/2009).  15 min OEL: 984 mg/m³ 15 minutes.  8 hrs OEL: 200 ppm 8 hours.  15 min OEL: 400 ppm 15 minutes.  8 hrs OEL: 400 ppm 15 minutes.  CA British Columbia Provincial (Canada, 2/2015).  TWA: 200 ppm 8 hours.  STEL: 400 ppm 15 minutes.  CA Ontario Provincial (Canada, 1/2013).  TWA: 200 ppm 8 hours.  STEL: 400 ppm 15 minutes.  CA Quebec Provincial (Canada, 1/2014).  TWAEV: 400 ppm 8 hours.  STEL: 400 ppm 15 minutes.  CA Quebec Provincial (Canada, 1/2014).  TWAEV: 400 ppm 15 minutes.  CA Oppm 8 hours.  STEL: 400 ppm 15 minutes.  STEV: 500 ppm 15 minutes.  STEV: 500 ppm 15 minutes.  STEV: 500 ppm 15 minutes.			
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants that could arise from the use if this product.			
Individual protection measures				
Eye/face protection	Continued or intense exposures might required to wear safety glasses.			
Hands and Body protection	No specific protective equipment required under normal use conditions. Prolonged or severe exposures might require to wear chemical-resistant gloves.			
Respiratory protection	No specific protective equipment required under normal use conditions.			

9. PHYSICAL AND CHEMICAL PROPERTIES					
Physical state	Liquid. [Transparent liquid]	рН	10.5	Flash point	[Product does not sustain combustion.]
Color	Blue.	Relative density	Not available.	Melting point	Not available.
Odor	Fresh.	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point :	Not available.
Solubility in water :	Not available.	Vapor density :	Not available.	Evaporation rate :	Not available.
Decomposition temperature : Not available.			Auto-ignition temperature	: Not available.	
Partition coefficient; n-octanol/ : Not available. water			Flammability (solid, gas)	: Not available.	
Lower and upper explosive (flammable) limits : Not available.					



VITREX + Page: 3/5

#### 10. STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Incompatible materials No specific data.

Conditions to avoid No specific data.

Possibility of hazardous reactions 
Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### 11. TOXICOLOGICAL INFORMATION

Route of exposure Routes of entry anticipated: Dermal.

Routes of entry not anticipated: Oral, Inhalation.

Potential acute health effects Symptoms

Eye contact May cause eye irritation. Adverse symptoms may include the following:

irritation watering redness

Skin contact No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Ingestion No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Inhalation No known significant effects or critical hazards. No specific symptoms under normal use conditions.

#### Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
1-methoxy-2-propanol	LD50 Dermal	Rabbit	13 g/kg	-
	LD50 Oral	Rat	6600 mg/kg	-
Isopropyl alcohol	LD50 Dermal	Rabbit	12800 mg/kg	-
	LD50 Oral	Rat	5000 mg/kg	-

## Information on toxicological effects

**Mutagenicity** No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Sensitization Not available.

Carcinogenicity No known significant effects or critical hazards.

#### 12. ECOLOGICAL INFORMATION

## Ecotoxicity data

Product/ingredient name	Result	Species	Exposure
propan-2-ol	1.5	J-	48 hours 96 hours

Persistence and : Unknown Bioaccumulative potential : Unknown Mobility in soil : Unknown Other adverse effects : Unknown

degradability

VITREX + Page: 4/5



# 13. DISPOSAL CONSIDERATIONS

Disposal methods Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION					
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	Not regulated.	-	-	-	
-					
Additional information	See shipping documents for specific information on DOT, IMDG or IATA				

## 15. REGULATORY INFORMATION

Canadian lists

Canadian NPRI The following components are listed: Isopropyl alcohol

CEPA Toxic substances None of the components are listed.

Canada inventory Not determined.

**International lists** 

United States Not determined.

# 16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)

Health Hazard 1
Fire Hazard 0
Reactivity 0
Personal Protection B

Date of issue/Date of revision (YYYY-MM- : 2017-01-09

DD)

Prepared by : Regulatory Affairs Department

Wood Wyant

A division of Sani-Marc Group 42, rue de l'Artisan Victoriaville, Québec

G6P 7E3

## Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



VITREX + Page: 5/5