

SAFETY DATA SHEET Millpledge Eaze-Off®

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Millpledge Eaze Off® 50mL and 200mL Aerosol Dispensers

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- 1.4. Details of the supplier of the safety data sheet Manufacturer & Supplier:

UK	USA:	CANADA:
Millpledge Ltd	Millpledge North America Inc.	Millpledge Canada Ltd.
Whinleys Estate	828 Mitchell Road, Thousand Oaks	6 - 73 Galaxy Blvd. Toronto, Ontario
Clarborough, Retford, Notts	CA 91320	M9W 5T4
DN22 9NA	USA	Canada
Tel: 01777 708440	Tel: (888) 715-9909	Tel: (888) 715-9909

1.5. Emergency telephone number In case of emergency telephone:

ChemTel Inc & Millpledge Contract Number: MIS0008010

International +1 813-248-0585 US Domestic 1-800-255-3924 ChemTel Inc, FL, USA. Australia Haz Mat Contact: 1-300-954-583

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)Physical hazardsAerosol 2 - H223, H229 Flam. Liq. 2 - H225Health hazardsNot ClassifiedEnvironmental hazardsAquatic Acute 1 - H400

2.1. Label Elements

Hazard pictograms



Signal word	Danger
Hazard statements	H223 Flammable aerosol.
	H229 Pressurised container: may burst if heated.
	H225 Highly flammable liquid and vapour.
	H400 Very toxic to aquatic life.
	Precautionary statements P210 Keep away from heat, hot surfaces,
	sparks, open flames and other ignition sources. No smoking.
	P211 Do not spray on an open flame or other ignition source.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Siloxanes 60 - 100% CAS numbers: Proprietary M factor (Acute) = 1

Classification

Flam. Liq. 2 - H225 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination.
Ingestion	Give plenty of water to drink. Do not induce vomiting.
Skin contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water.
	Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing mediaPowder. Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Protective actions during firefighting - Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions

Environmental precautions Avoid contamination of ponds or watercourses with washing down water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upNo smoking, sparks, flames or other sources of ignition near spillage. Provide ade-
quate ventilation. Contain spillage with sand, earth or other suitable non-combus-
tible material. Collect and dispose of spillage as indicated in Section 13.

6.4. Reference to other sections

SECTION 7: Handling and	storage
7.1. Precautions for safe hand	dling
Usage precautions	Keep away from heat, sparks and open flame. Read label before use.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container dry. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.2. Exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceClear liquid.OdourSlight

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and othersources of ignition.

10.5. Incompatible materials

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation	No specific symptoms known
Ingestion	No specific symptoms known
Skin contact	No specific symptoms known
Eye contact	No specific symptoms known.

SECTION 12: Ecological information

Ecotoxicity Very toxic to aquatic life.

- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS FLAMMABLE Proper shipping name (IMDG) AEROSOLS FLAMMABLE Proper shipping name (ICAO) AEROSOLS FLAMMABLE Proper shipping name (ADN) AEROSOLS FLAMMABLE

14.3. Transport hazard class(es)

'Limited Quantity' 1L, Max 30kg (66lbs) gross weight per outer shipper

DOT	2.1
ADR/RID class	2.1 (200mL only)
ADR/RID classification code	5F (200mL only)
ADR/RID label	2.1 (200mL only)
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1
Transport labels	
•	
	4

SECTION 14: Transport information (continued)

14.4. Packing group - III / Z

Packing instructions P207 LP200 Special packing instructions PP87 RR6 L2 Mixed packing provisions MP9

14.5. Environmental hazards

14.6. Special precautions for user -

EmS F-D, S-UADR transport category2Tunnel restriction code(D)Special provisions190, 327, 344, 625

14.7 Special provisions for carriage: Packages V14Special provisions for carriage: Loading and unloading CV9 CV12Special provisions for carriage: Operation S2

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by	Millpledge Ltd
Revision date	10/01/2023
SDS number	FEO0050 / FEO0200
Hazard statements in full	
	H223 Flammable aerosol.
	H225 Highly flammable liquid and vapour.
	H229 Pressurised container: may burst if heated.
	H400 Very toxic to aquatic life.

Further product information available from:

UK	USA:	CANADA:
Millpledge Ltd	Millpledge North America Inc.	Millpledge Canada Ltd.
Whinleys Estate	828 Mitchell Road,	6 - 73 Galaxy Blvd.
Clarborough, Retford, Notts	Thousand Oaks	Toronto, Ontario
DN22 9NA	CA 91320	M9W 5T4
Tel: 01777 708440	Tel: (888) 715-9909	Tel: (888) 715-9909
Email: nasales@millpledge.com	Email: nasales@millpledge.com	Email: casales@millpledge.com
Website: millpledgeveterinary.us	Website: millpledgeveterinary.us	Website: millpledgeveterinary.ca

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. Eaze-Off® is a registered trademark of Millpledge Ltd.

